

# MASTER VALUE LEDspot MV

## Master LED 5-50W GU10 930 36D Dim

Delivering a warm, halogen-like accent beam, MASTER VALUE LEDspot MV is a perfect for spot lighting. Thanks to its high CRI, it realizes more natural colors, enabling cozy and comfortable ambience for residential, hospitality and emphasize the beauty of merchandise in retail. These LEDspots have the familiar look and feel of glass spots, keeping the classic beauty of glass spots and adding the strong performance from LED technology. The dimming function enables to create the desired atmosphere and it works with broad selection of dimmers.

### Product data

General Information		LLMF At End Of Nominal Lifetime (Nom)	
Cap-Base	GU10 [ GU10]		70 %
Nominal Lifetime (Nom)	25000 h	Luminous Flux in 90° Cone (Rated)	365 lm
Switching Cycle	50000X	<b>Operating and Electrical</b>	
Technical Type	5-50W	Input Frequency	50 to 60 Hz
<b>Light Technical</b>		Power (Nom)	5 W
Color Code	930 [ CCT of 3000K]	Lamp Current (Nom)	27 mA
Beam Angle (Nom)	36 °	Wattage Equivalent	50 W
Luminous Flux (Nom)	405 lm	Starting Time (Nom)	0.5 s
Luminous Flux (Rated) (Nom)	405 lm	Warm Up Time to 60% Light (Nom)	0.5 s
Luminous Intensity (Nom)	650 cd	Power Factor (Nom)	0.8
Color Designation	White (WH)	Voltage (Nom)	220-240 V
Rated Beam Angle	36 °	<b>Temperature</b>	
Correlated Color Temperature (Nom)	3000 K	T-Case Maximum (Nom)	80 °C
Luminous Efficacy (rated) (Nom)	81.00 lm/W		
Color Consistency	<6		
Color Rendering Index (Nom)	90		

# MASTER VALUE LEDspot MV

## Controls and Dimming

Dimmable	Yes
----------	-----

## Approval and Application

Energy Efficiency Label (EEL)	A+
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	5 kWh


## Product Data

Full product code	871869675592100
-------------------	-----------------

Order product name	Master LED 5-50W GU10 930 36D Dim
EAN/UPC - Product	8718696755921
Order code	929001348908
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001348908
Net Weight (Piece)	0.038 kg

## Warnings and Safety


### Dimensional drawing




GU10 230V5W-50W 355lm 36D 3000K GU10 Dim

Product	D	C
Master LED 5-50W GU10 930 36D Dim	50 mm	54 mm

### Photometric data




MASTER LEDspotMV 50W GU10 930 36D 365lm



MASTER LEDspotMV 35W GU10 930 36D 270lm


# MASTER VALUE LEDspot MV

## Photometric data




MASTER LEDspotMV 50W GU10 36D 355lm

## Lifetime



MASTER LEDspotMV GU10 922-927 36D



MASTER LEDspotMV GU10 922-927 36D

